

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	((log or logging or record\$3) with (protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:22
L2	1	((log or logging or record\$3) with (protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field)).clm. and ((data adj structure) with (third or three)) and (sort\$3 or sequenc\$3 or order\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:24
L3	0	((log or logging or record\$3) with (protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field)).clm. and ((data adj structure) with (third or three)).clm. and (sort \$3 or sequenc\$3 or order\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:24
L4	2	(707/100 709/230 710/11).ccls. and ((log or logging or record\$3) with (protocol) with (select\$4 or choos\$3 or elect\$3 or pick\$3) with (category or field)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:25
L5	0	(707/100 709/230 710/11).ccls. and ((log or logging or record\$3) with (protocol) with (select\$4 or choos\$3 or elect\$3 or pick\$3) with (category or field)).clm. and ((data adj structure) with (third or three)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:26

L6	0	(707/100 709/230 710/11).ccls. and ((log or logging or record\$3) with (protocol) with (select\$4 or choos\$3 or elect\$3 or pick\$3) with (category or field)).clm. and ((data adj structure) with (third or three)).clm. and ((data adj structure) with (third or three)).clm. and (sort\$3 or sequenc\$3 or order\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:26
L7	0	(707/100 709/230 710/11).ccls. and ((log or logging or record\$3) with (protocol) with (select\$4 or choos\$3 or elect\$3 or pick\$3) with (category or field)).clm. and ((data adj structure) with (third or three)).clm. and (sort \$3 or sequenc\$3 or order\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:26
L8	5	(707/100 709/230 710/11).ccls. and ((log or logging or record\$3) with (protocol) with (select\$4 or choos\$3 or elect\$3 or pick\$3) with (category or field)) and (data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:26
L9	0	(707/100 709/230 710/11).ccls. and (network with (cache or buffer) with (log or logged or logging)) and ((data adj structure) with (position or location or placing or placement or sequence or order)) and ((data adj structure) with (pointer or reference))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:26

L10	0	(707/100 709/230 710/11).ccls. and (log or logging) and ((data adj structure) with (location or position) with (log or logging)) and ((data adj structure) with (field or category) with (log or logging)) and ((data adj structure) with (reference or pointer) with (log or logging))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:26
L11	10	(707/100 709/230 710/11).ccls. and (log \$5 with protocol with specific\$5) and (sort\$5)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:27
L12	97	(707/100 709/230 710/11).ccls. and (log \$5 with protocol with specific\$5) and (sort\$5 or order\$3 or sequenc \$3)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:27
L13	1	(707/100 709/230 710/11).ccls. and (log \$5 with protocol with specific\$5) and (sort\$5 or order\$3 or sequenc \$3) and ((data adj structure) with (three or third))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:28
L14	0	((network with (cache or buffer) with (log or logged or logging)) and ((data adj structure) with (position or location or placing or placement or sequence or order)) and ((data adj structure) with (pointer or reference))). clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:47
L15	1	((log or logging or record\$3) with (protocol) with (category or field)).clm. and ((three or third) with (data adj structure)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/04 11:50
S1	0	("5787253.pn.").PN.	US-PGPUB; USPAT	OR	OFF	2006/06/28 11:08
S2	1	"5787253".pn.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:26

S3	51305	network with log\$5	US-PGPUB; USPAT	OR	ON	2005/06/27 02:04
S4	9574	(network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field))	US-PGPUB; USPAT	OR	ON	2005/06/27 02:05
S5	3828	(network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:06
S6	1422	@ay<"2001" and (network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:06
S7	420	@ay<"2001" and (network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface) and "709". clas.	US-PGPUB; USPAT	OR	ON	2005/06/27 02:07
S8	237	@ay<"2001" and (network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface) and "709". clas. and (buffer or cache)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:08
S9	84	@ay<"2001" and (network with (data or packet) with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface) and "709". clas. and (buffer or cache)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:08
S10	24	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5)	US-PGPUB; USPAT	OR	ON	2005/11/09 14:28

S11	7	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5) and (sort\$5)	US-PGPUB; USPAT	OR	ON	2005/11/09 14:32
S12	21	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5) and (custom\$6 or filter\$4 or select\$5)	US-PGPUB; USPAT	OR	ON	2005/11/09 14:33
S13	13	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5) and ((custom\$6 or filter\$4 or select\$5) with (parameter or data or field))	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23
S14	24	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4)	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23
S15	8	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:33
S16	3	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific) and sort	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23
S17	3	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific) and sort\$4	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23
S18	8	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:33
S19	392	@ay<"2001" and 709/223.ccls. and filter	US-PGPUB; USPAT	OR	ON	2005/11/10 15:34
S20	1	"5612898".pn.	US-PGPUB; USPAT	OR	ON	2006/12/20 13:18
S21	2	"6546390".pn. "6393464".pn.	US-PGPUB; USPAT	OR	ON	2006/06/28 15:23
S22	1	"6018627".pn.	US-PGPUB; USPAT	OR	ON	2006/06/28 15:24

S23	13102	(protocol with (log or logging or report\$3 or history))	US-PGPUB; USPAT	OR	ON	2006/09/29 11:28
S24	8622	(protocol with (log or logging or report\$3 or history)) and (sequence)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:28
S25	804677	(log or logging or report \$3 or history)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:28
S26	80935	S25 with (sequence or order)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:29
S27	639	S26 with protocol	US-PGPUB; USPAT	OR	ON	2006/09/29 11:29
S28	13336	S25 with (sequence or order) with (select\$6 or choos\$4 or determin\$4 or option)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:31
S29	13336	(select\$6 or choos\$4 or determin\$4 or option) with S26	US-PGPUB; USPAT	OR	ON	2006/09/29 20:15
S30	140	(log with protocol with (sequence or order))	US-PGPUB; USPAT	OR	ON	2006/09/29 20:15
S31	155	(log with protocol with (sequence or order\$3 or sort\$3))	US-PGPUB; USPAT	OR	ON	2006/09/29 20:16
S32	27	(log with network with protocol with (sequence or order\$3 or sort\$3))	US-PGPUB; USPAT	OR	ON	2006/09/29 20:17
S33	12	(log with network with protocol with (sequence or order\$3 or sort\$3)) and @ay<"2002"	US-PGPUB; USPAT	OR	ON	2006/09/29 20:27
S34	24	(logging with protocol with (sequence or order \$3 or sort\$3)) and @ay<"2002"	US-PGPUB; USPAT	OR	ON	2006/09/29 20:28
S35	23	(logging with protocol with (sequence or order \$3 or sort\$3)) and @ay<"2002" and network	US-PGPUB; USPAT	OR	ON	2006/09/29 20:28
S36	1	"5375241".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:11
S37	1	"5408618".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:11
S38	1	"5515504".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:12

S39	1	"5561800".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:12
S40	529	@ay<"2002" and ((view \$4 or display\$4) with (log) with (sort\$3 or order\$3 or sequence))	US-PGPUB; USPAT	OR	ON	2006/09/29 21:16
S41	375	@ay<"2002" and ((view \$4 or display\$4) with (log) with (sort\$3 or order\$3 or sequence)) and network	US-PGPUB; USPAT	OR	ON	2006/09/29 21:16
S42	8	@ay<"2002" and ((view \$4 or display\$4) with (log) with (sort\$3 or order\$3 or sequence)) and (network with protocol with log\$3)	US-PGPUB; USPAT	OR	ON	2006/09/29 21:16
S43	1	"6760420".pn.	US-PGPUB; USPAT	OR	ON	2006/12/20 13:18
S44	513	@ay<"2001" and (log \$4 with select\$3 with protocol)	US-PGPUB; USPAT	OR	ON	2007/11/19 19:05
S45	9	@ay<"2001" and (log \$4 with select\$3 with protocol with gateway)	US-PGPUB; USPAT	OR	ON	2007/11/19 19:06
S46	0	@ay<"2001" and ((log or logging) with select \$3 with protocol with gateway)	US-PGPUB; USPAT	OR	ON	2007/11/19 19:13
S47	20	@ay<"2001" and ((log or logging) with select \$3 with protocol) and gateway	US-PGPUB; USPAT	OR	ON	2007/11/19 19:14
S48	2271085	@ay<"2001" and ((log or logging) with url with gateway or (sort \$3 or order\$3 or arrang \$3))	US-PGPUB; USPAT	OR	ON	2007/11/19 21:33
S49	1	@ay<"2001" and ((log or logging) with url with gateway with (sort \$3 or order\$3 or arrang \$3))	US-PGPUB; USPAT	OR	ON	2007/11/19 21:33
S50	21	@ay<"2001" and ((log or logging) with url with (sort\$3 or order\$3 or arrang\$3))	US-PGPUB; USPAT	OR	ON	2007/11/19 21:34
S51	3033	@ay<"2001" and ((log or logging)) and ((select \$5 or choos\$3 or chos \$3 or pick\$3) with protocol)	US-PGPUB; USPAT	OR	ON	2007/11/20 16:54

S52	295	@ay<"2001" and ((log or logging) with protocol) and ((select \$5 or choos\$3 or chos \$3 or pick\$3) with protocol)	US-PGPUB; USPAT	OR	ON	2007/11/20 17:05
S53	2	("5612898" "6760420"). pn.	US-PGPUB; USPAT	OR	ON	2007/11/20 17:33
S54	5	@ay<"2001" and ((log or logging) with protocol with (field or category)) and ((select \$5 or choos\$3 or chos \$3 or pick\$3) with protocol)	US-PGPUB; USPAT	OR	ON	2007/11/20 17:48
S55	0	@ay<"2001" and "709". clas. and (log or logging) and ((data adj structure) with (location or position) with (log or logging)) and ((data adj structure) with (field or category) with (log or logging)) and ((data adj structure) with (reference or pointer) with (log or logging))	US-PGPUB; USPAT	OR	ON	2008/06/21 18:59
S56	1	@ay<"2001" and (log or logging) and ((data adj structure) with (location or position) with (log or logging)) and ((data adj structure) with (field or category) with (log or logging)) and ((data adj structure) with (reference or pointer) with (log or logging))	US-PGPUB; USPAT	OR	ON	2008/06/21 20:11
S57	1	@ay<"2001" and ((data adj structure) with (location or position) with (log or logging)) and ((data adj structure) with (field or category) with (log or logging)) and ((data adj structure) with (reference or pointer) with (log or logging))	US-PGPUB; USPAT	OR	ON	2008/06/21 20:17



S58	647	@ay<"2001" and ((data adj structure) with (location or position)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer))	US-PGPUB; USPAT	OR	ON	2008/06/21 20:17
S59	71	@ay<"2001" and ((data adj structure) with (location or position)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2008/06/21 20:17
S60	25	@ay<"2001" and ((data adj structure) with (location or position)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer)) and "709". clas. and (log or logging)	US-PGPUB; USPAT	OR	ON	2008/06/21 20:18
S61	7	@ay<"2001" and ((data adj structure) with (location or position)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer)) and "709". clas. and ((log or logging) with (cache or buffer))	US-PGPUB; USPAT	OR	ON	2008/06/21 20:18
S62	3	@ay<"2001" and ((data adj structure) with (location or position)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer) with (location or position)) and "709". clas. and ((log or logging) with (cache or buffer))	US-PGPUB; USPAT	OR	ON	2008/06/21 20:27

S63	4	S61 not S62	US-PGPUB; USPAT	OR	ON	2008/06/21 20:31
S64	4	S63	US-PGPUB; USPAT	OR	ON	2008/06/21 20:31
S65	3	@ay<"2001" and ((data adj structure) with (location or position) with (field or category)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer) with (location or position)) and "709". clas. and ((log or logging) with (cache or buffer))	US-PGPUB; USPAT	OR	ON	2008/06/21 21:39
S66	5	@ay<"2001" and ((data adj structure) with (location or position) with (field or category)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer) with (location or position)) and ((log or logging) with (cache or buffer))	US-PGPUB; USPAT	OR	ON	2008/06/22 03:00
S67	6	@ay<"2001" and ((data adj structure) with (location or position) with (field or type or category)) and ((data adj structure) with (field or category)) and ((data adj structure) with (reference or pointer) with (location or position)) and ((log or logging) with (cache or buffer))	US-PGPUB; USPAT	OR	ON	2008/06/22 03:32
S68	1	S67 not S66	US-PGPUB; USPAT	OR	ON	2008/06/22 03:32
S69	79	@ay<"2001" and ((log or logging) with network with (cache or buffer))	US-PGPUB; USPAT	OR	ON	2008/06/22 03:34

S70	0	@ay<"2001" and ((log or logging) with network with (cache or buffer)) and ((data adj structure) with (type or field or category) with (position or location or place or placement or sequence)) and ((data adj structure) with (information or data) with (type or field or category)) and ((data adj structure) with (data or information))	US-PGPUB; USPAT	OR	ON	2008/06/22 03:39
S71	33	@ay<"2001" and ((log or logging) with network) and ((data adj structure) with (type or field or category) with (position or location or place or placement or sequence)) and ((data adj structure) with (information or data) with (type or field or category)) and ((data adj structure) with (data or information))	US-PGPUB; USPAT	OR	ON	2008/06/22 03:40
S72	33	@ay<"2001" and ((log or logging) with network) and ((data adj structure) with (type or field or category) with (position or location or place or placement or sequence)) and ((data adj structure) with (information or data) with (type or field or category))	US-PGPUB; USPAT	OR	ON	2008/06/22 03:47
S73	1	"20010028364"	US-PGPUB; USPAT	OR	ON	2008/06/24 14:48
S74	32573	@ay<"2001" and (((data adj structure) or table) with (position or location or placing or placement or sequence or order)) and (((data adj structure) or table) with (pointer or reference))	US-PGPUB; USPAT	OR	ON	2008/06/30 18:00

S75	318	@ay<"2001" and ((cache or buffer) with (log or logged or logging)) and (((data adj structure) or table) with (position or location or placing or placement or sequence or order)) and (((data adj structure) or table) with (pointer or reference))	US-PGPUB; USPAT	OR	ON	2008/06/30 18:01
S76	17	@ay<"2001" and (network with (cache or buffer) with (log or logged or logging)) and (((data adj structure) or table) with (position or location or placing or placement or sequence or order)) and (((data adj structure) or table) with (pointer or reference))	US-PGPUB; USPAT	OR	ON	2008/06/30 18:02
S77	4	@ay<"2001" and (network with (cache or buffer) with (log or logged or logging)) and ((data adj structure) with (position or location or placing or placement or sequence or order)) and ((data adj structure) with (pointer or reference))	US-PGPUB; USPAT	OR	ON	2008/06/30 18:03
S78	231	@ay<"2001" and "709". clas. and ((data adj structure) with (position or location or placing or placement or sequence or order)) and ((data adj structure) with (pointer or reference))	US-PGPUB; USPAT	OR	ON	2008/06/30 18:22
S79	123	@ay<"2001" and "709". clas. and ((data adj structure) with (sequence or order)) and ((data adj structure) with (pointer or reference))	US-PGPUB; USPAT	OR	ON	2008/06/30 18:23

S80	5	@ay<"2001" and "709". clas. and ((data adj structure) with (sequence or order)) and ((data adj structure) with (pointer or reference)) and (network adj (cach\$3 or buffer\$3))	US-PGPUB; USPAT	OR	ON	2008/06/30 18:23
S81	0	@ay<"2001" and ((data adj structure) with (sequence or order)) and ((data adj structure) with (pointer or reference)) and (network adj (cach\$3 or buffer\$3)).ti.	US-PGPUB; USPAT	OR	ON	2008/06/30 18:24
S82	1	"6157955".pn.	US-PGPUB; USPAT	OR	ON	2008/06/30 20:48
S83	1	"5983270".pn.	US-PGPUB; USPAT	OR	ON	2008/07/01 19:00
S84	3	"20030101243"	US-PGPUB; USPAT	OR	ON	2008/07/02 20:24
S85	1	"5983274".pn.	US-PGPUB; USPAT	OR	ON	2008/09/22 13:32
S86	9499	(network adj2 (log or logging or record or history or cache))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/01/18 17:54
S87	161	(network adj2 (log or logging or record\$3 or history or cache)) and ((data adj structure) with (flag or status or indicat\$4 or state) with (log or logging or record \$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/01/18 17:55
S88	114	(network adj2 (log or logging or record\$3 or history or cache)) and ((data adj structure) with (flag or status or indicat\$4 or state) with (log or logging or record \$3)) and ((data adj structure) with (field or category))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/01/18 17:57

S89	4	@ay<"2001" and (network with (cache or buffer) with (log or logged or logging)) and ((data adj structure) with (position or location or placing or placement or sequence or order)) and ((data adj structure) with (pointer or reference))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:04
S90	20	(network with (cache or buffer) with (log or logged or logging)) and ((data adj structure) with (position or location or placing or placement or sequence or order)) and ((data adj structure) with (pointer or reference))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:05
S91	4	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific) and sort	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:05
S92	5	709/223,224.ccls. and (network adj cach\$4) and (protocol with specific) and sort	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:05
S93	10	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5) and (sort\$5)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:06
S94	25	709/223,224.ccls. and (log\$5 with protocol with specific\$5) and (sort\$5)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:06
S95	0	@ay<"2001" and "709". clas. and (log or logging) and ((data adj structure) with (location or position) with (log or logging)) and ((data adj structure) with (field or category) with (log or logging)) and ((data adj structure) with (reference or pointer) with (log or logging))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:07

S96	1	"709".clas. and (log or logging) and ((data adj structure) with (location or position) with (log or logging)) and ((data adj structure) with (field or category) with (log or logging)) and ((data adj structure) with (reference or pointer) with (log or logging))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2009/01/19 17:07
S97	2	("5983270" "5983274"). pn.	US-PGPUB; USPAT	OR	ON	2009/03/04 17:43
S98	907	((log or logging or record\$3) with (protocol) with (category or field))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/05/29 17:02
S99	25	((log or logging or record\$3) with (protocol) with (category or field)) and ((three or third) with (data adj structure))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/05/29 17:03
S100	45	((log or logging or record\$3) with (protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field)) and (data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:29
S101	25	(logging with protocol with (sequence or order \$3 or sort\$3)) and @ay<"2002"	US-PGPUB; USPAT	OR	ON	2009/06/02 20:29
S102	1	((log or logging or record\$3) with (protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field) with (data adj structure)). clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:31
S103	0	((log or logging or record\$3) with (protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field) with (third or three) with (data adj structure)). clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:32

S104	3	((protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field) with (third or three) with (data adj structure)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:32
S105	0	((protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field) with (third or three) with (data adj structure) with (sequenc\$3 or sort \$3 or order\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:33
S106	3	((select\$4 or choos\$3 or elect\$3 or pick\$3) with (category or field) with (third or three) with (data adj structure) with (sequenc \$3 or sort\$3 or order \$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:33
S107	9	((log or logging or record\$3) with (protocol) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field)) and ((data adj structure) with (third or three)) and (sort\$3 or sequenc \$3 or order\$3)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:34
S108	267	((log or logging or record\$3) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field)) and ((data adj structure) with (third or three)) and (sort\$3 or sequenc \$3 or order\$3)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:48
S109	33	((log or logging or record\$3) with (select \$4 or choos\$3 or elect \$3 or pick\$3) with (category or field) with (data adj structure)) and ((third or three) with (data adj structure)) and (sort\$3 or sequenc\$3 or order \$3)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:49



**6/ 4/ 09 11:50:47 AM**

**C:\ Documents and Settings\ achoudhury\ My Documents\ EAST\ Workspaces\ azizul09982243.  
wsp**